

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 7/19/2023 Revision date: 5/12/2025 Supersedes: 7/19/2023 Version: 2.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Trade name : In Tank Toilet Tablets, Cloralen Blue

Product code : 6040275

1.2. Recommended use and restrictions on use

Use of the substance/mixture : In Tank Block

1.3. Supplier

AlEn del Norte, S.A. de C.V. Blvd. Gustavo Díaz Ordaz 1000 Los Treviño Santa Catarina, N.L., 66150 México

T 81221000/ 800 424 9300

www.grupoalen.com

1.4. Emergency telephone number

Emergency number : Mexico: 800.8343.300 – 24 Hrs. / U.S: 800.424.9300 – 24 Hrs.

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Acute toxicity (inhalation:dust,mist) Category 4 Full text of H statements : see section 16

H332

Harmful if inhaled

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning

Hazard statements (GHS US) : H332 - Harmful if inhaled

Precautionary statements (GHS US) : P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P271 - Use only outdoors or in a well-ventilated area.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

P312 - Call a poison center or doctor if you feel unwell.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
sodium sulfate, anhydrous	CAS-No.: 7757-82-6	40 – 50
Ethoxylated alcohols (C=16-18)	CAS-No.: 68439-49-6	3 - 5
N-Ethyl-N-[4-[[4-[ethyl](3-sulfophenyl)methyl]amino]phenyl] (2-sulfophenyl)methylene]-2,5-cyclohexadien-1-ylidene]-3-sulfobenzenemethanaminium hydroxide, inner salt, disodium salt	CAS-No.: 3844-45-9	1 - 3

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center/doctor/physician if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison

center/doctor/physician if you feel unwell.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

5/12/2025 (Revision date) US - en 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid

breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

5/12/2025 (Revision date) US - en 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



Melting point





SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Solid.
Color : Navy Blue
Odor : Fresh

Odor threshold : No data available pH : No data available

: No data available

pH solution : 6 – 8

Freezing point : Not applicable
Boiling point : No data available
Flash point : Not applicable
Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : Non flammable.
Vapor pressure : No data available
Relative vapor density at 20°C : No data available

Relative density : 1.5 – 1.6

Solubility : Soluble in water.

Partition coefficient n-octanol/water (Log Pow) : No data available

Auto-ignition temperature : Not applicable

Decomposition temperature : No data available

Viscosity, kinematic : Not applicable

Viscosity, dynamic : No data available Explosion limits : Not applicable Explosive properties : No data available Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Harmful if inhaled.

In Tank Toilet Tablets, Cloralen Blue		
ATE US (dust, mist)	3.444 mg/l/4h	
sodium sulfate, anhydrous (7757-82-6)		
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 15 day(s))	
LD50 oral	≈ 5989 mg/kg body weight Animal: mouse	
LC50 Inhalation - Rat	> 2.4 mg/l air (OECD 436: Acute inhalation toxicity-acute toxic class method, 4 h, Rat, Male / female, Experimental value, Inhalation (dust))	
ATE US (gases)	4500 ppmV/4h	
ATE US (vapors)	11 mg/l/4h	
ATE US (dust, mist)	1.5 mg/l/4h	
N-Ethyl-N-[4-[[4-[ethyl](3-sulfophenyl)methyl]a sulfobenzenemethanaminium hydroxide, inne	amino]phenyl] (2-sulfophenyl)methylene]-2,5-cyclohexadien-1-ylidene]-3- er salt, disodium salt (3844-45-9)	
LD50 oral rat	> 1900 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
ATE US (oral)	500 mg/kg body weight	
Ethoxylated alcohols (C=16-18) (68439-49-6)		
LD50 oral rat	1260 mg/kg Source: National Library of Medicine	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

C50 Inhalation - Rat > 1 ATE US (oral) 126 kin corrosion/irritation : Not a codium sulfate, anhydrous (7757-82-6) H 5.2 Ethoxylated alcohols (C=16-18) (68439-49-6) H 7 erious eye damage/irritation : Not a codium sulfate, anhydrous (7757-82-6)	2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) 60 mg/kg body weight classified 2 – 8 (5 %, 20 °C) classified
ATE US (oral) sin corrosion/irritation : Not a sodium sulfate, anhydrous (7757-82-6) H	60 mg/kg body weight classified 2 – 8 (5 %, 20 °C)
ckin corrosion/irritation : Not codium sulfate, anhydrous (7757-82-6) Ethoxylated alcohols (C=16-18) (68439-49-6) H 7 erious eye damage/irritation : Not codium sulfate, anhydrous (7757-82-6)	classified 2 – 8 (5 %, 20 °C)
Sodium sulfate, anhydrous (7757-82-6) H	2 – 8 (5 %, 20 °C)
Ethoxylated alcohols (C=16-18) (68439-49-6) H reious eye damage/irritation : Not codium sulfate, anhydrous (7757-82-6)	
Ethoxylated alcohols (C=16-18) (68439-49-6) H rious eye damage/irritation : Not codium sulfate, anhydrous (7757-82-6)	
H 7 erious eye damage/irritation : Not codium sulfate, anhydrous (7757-82-6)	classified
erious eye damage/irritation : Not sodium sulfate, anhydrous (7757-82-6)	classified
sodium sulfate, anhydrous (7757-82-6)	classified
H 5.2	
	2 – 8 (5 %, 20 °C)
Ethoxylated alcohols (C=16-18) (68439-49-6)	
H 7	
espiratory or skin sensitization : Not	classified
erm cell mutagenicity : Not	classified
arcinogenicity : Not	classified
I-Ethyl-N-[4-[[4-[ethyl[(3-sulfophenyl)methyl]amir sulfobenzenemethanaminium hydroxide, inner sa	no]phenyl] (2-sulfophenyl)methylene]-2,5-cyclohexadien-1-ylidene]-3- alt, disodium salt (3844-45-9)
ARC group 3 -	Not classifiable
eproductive toxicity : Not	classified
TOT-single exposure : Not	classified
FOT-repeated exposure : Not	classified
Ethoxylated alcohols (C=16-18) (68439-49-6)	
	1000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated ose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
•	classified
scosity, kinematic : Not	applicable
sodium sulfate, anhydrous (7757-82-6)	
/iscosity, kinematic Not	ot applicable (solid)
Ethoxylated alcohols (C=16-18) (68439-49-6)	
riscosity, kinematic 51.	

5/12/2025 (Revision date) US - en 6/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information

12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
sodium sulfate, anhydrous (7757-8	32-6)
LC50 - Fish [1]	7960 mg/l (EPA 600/4-90/027, 96 h, Pimephales promelas, Static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	≈ 3150.21 mg/l Test organisms (species): Ceriodaphnia dubia
LC50 - Fish [2]	≈ 7960 mg/l Test organisms (species): Pimephales promelas
	nyl)methyl]amino]phenyl] (2-sulfophenyl)methylene]-2,5-cyclohexadien-1-ylidene]-3-roxide, inner salt, disodium salt (3844-45-9)
LC50 - Fish [1]	> 96 mg/l Source: ECOTOX
EC50 - Crustacea [1]	> 97 mg/l Source: ECOTOX
LC50 - Fish [2]	132 – 276 mg/l Test organisms (species): Leuciscus idus
EC50 96h - Algae [1]	5470000000 mg/l Source: Ecological Structure Activity Relationships
LOEC (chronic)	> 10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	≥ 10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
Ethoxylated alcohols (C=16-18) (6)	PA20.40.6\

12.2. Persistence and degradability

LC50 - Fish [1]

sodium sulfate, anhydrous (7757-82-6)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Ethoxylated alcohols (C=16-18) (68439-49-6)	
Persistence and degradability	Readily biodegradable in water.
Chemical oxygen demand (COD)	1.78 g O₂/g substance

3.5 mg/l Source: ECOTOX

12.3. Bioaccumulative potential

sodium sulfate, anhydrous (7757-82-6)	
Partition coefficient n-octanol/water (Log Pow)	-3 Source: OECD Screening Information Data Set
Bioaccumulative potential	Not bioaccumulative.

5/12/2025 (Revision date) US - en 7/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

N-Ethyl-N-[4-[[4-[ethyl[(3-sulfophenyl)methyl]amino]phenyl] (2-sulfophenyl)methylene]-2,5-cyclohexadien-1-ylidene]-3-sulfobenzenemethanaminium hydroxide, inner salt, disodium salt (3844-45-9)	
Partition coefficient n-octanol/water (Log Pow)	0.15 Source: Ecological Structure Activity Relationships
Ethoxylated alcohols (C=16-18) (68439-49-6)	
Bioaccumulative potential	No bioaccumulation data available.

12.4. Mobility in soil

sodium sulfate, anhydrous (7757-82-6)	
Surface tension	71 mN/m (20 °C, 1.005 g/l, EU Method A.5: Surface tension)
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not regulated Proper Shipping Name (TDG) : Not regulated Proper Shipping Name (IMDG) : Not regulated Proper Shipping Name (IATA) : Not regulated

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not regulated

TDG

Transport hazard class(es) (TDG) : Not regulated

IMDG

Transport hazard class(es) (IMDG) : Not regulated

IATA

Transport hazard class(es) (IATA) : Not regulated

14.4. Packing group

Packing group (DOT) : Not regulated

5/12/2025 (Revision date) US - en 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing group (TDG) : Not regulated Packing group (IMDG) : Not regulated Packing group (IATA) : Not regulated

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

Not regulated

TDG

Not regulated

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

sodium sulfate, anhydrous (7757-82-6)

Listed on the Canadian DSL (Domestic Substances List)

N-Ethyl-N-[4-[[4-[ethyl](3-sulfophenyl)methyl]amino]phenyl] (2-sulfophenyl)methylene]-2,5-cyclohexadien-1-ylidene]-3-sulfobenzenemethanaminium hydroxide, inner salt, disodium salt (3844-45-9)

Listed on the Canadian DSL (Domestic Substances List)

Ethoxylated alcohols (C=16-18) (68439-49-6)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National regulations

sodium sulfate, anhydrous (7757-82-6)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

N-Ethyl-N-[4-[[4-[ethyl](3-sulfophenyl)methyl]amino]phenyl] (2-sulfophenyl)methylene]-2,5-cyclohexadien-1-ylidene]-3-sulfobenzenemethanaminium hydroxide, inner salt, disodium salt (3844-45-9)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
sodium sulfate, anhydrous(7757-82-6)	U.S Massachusetts - Right To Know List
N-Ethyl-N-[4-[[4-[ethyl](3-sulfophenyl)methyl]amino]phenyl] (2-sulfophenyl)methylene]-2,5-cyclohexadien-1-ylidene]-3-sulfobenzenemethanaminium hydroxide, inner salt, disodium salt(3844-45-9)	U.S Massachusetts - Right To Know List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 5/12/2025

Full text of H-phras	ses
H332	Harmful if inhaled

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

5/12/2025 (Revision date) US - en 10/10